A10487

Leader in Biomolecular Solutions for Life Science

DDR1 Rabbit pAb

Catalog No.: A10487

Basic Information

Observed MW

Calculated MW

Polyclonal Antibody

Cross-Reactivity

Applications WB, ELISA

125kDa

101kDa

Human

Category



Background

Receptor tyrosine kinases play a key role in the communication of cells with their microenvironment. These kinases are involved in the regulation of cell growth, differentiation and metabolism. The protein encoded by this gene belongs to a subfamily of tyrosine kinase receptors with homology to Dictyostelium discoideum protein discoidin I in their extracellular domain, and that are activated by various types of collagen. Expression of this protein is restricted to epithelial cells, particularly in the kidney, lung, gastrointestinal tract, and brain. In addition, it has been shown to be significantly overexpressed in several human tumors. Alternatively spliced transcript variants encoding different isoforms have been described for this gene.

Recommended Dilutions

Immunogen Information

WB

1:1000 - 1:2000

Gene ID 780

Swiss Prot 008345

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 290-420 of human DDR1 (NP 054700.2).

Synonyms

CAK; DDR; NEP; HGK2; PTK3; RTK6; TRKE; CD167; EDDR1; MCK10; NTRK4; PTK3A; DDR1

Contact

Product Information

€ www.abclonal.com

Isotype lgG


Purification Affinity purification

Storage

Source

Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.



Western blot analysis of extracts of various cell lines, using DDR1 antibody (A10487) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 5s.