A11185

Leader in Biomolecular Solutions for Life Science

STAT3 Rabbit mAb

Catalog No.: A11185

Recombinant

2 Publications



Observed MW 88kDa

Calculated MW 88kDa

Category SMab Recombinant Monoclonal Antibody

Applications WB,IHC-P,IF/ICC,ELISA

Cross-Reactivity Human,Mouse,Rat

Background

The protein encoded by this gene is a member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein is activated through phosphorylation in response to various cytokines and growth factors including IFNs, EGF, IL5, IL6, HGF, LIF and BMP2. This protein mediates the expression of a variety of genes in response to cell stimuli, and thus plays a key role in many cellular processes such as cell growth and apoptosis. The small GTPase Rac1 has been shown to bind and regulate the activity of this protein. PIAS3 protein is a specific inhibitor of this protein. This gene also plays a role in regulating host response to viral and bacterial infections. Mutations in this gene are associated with infantile-onset multisystem autoimmune disease and hyper-immunoglobulin E syndrome.

Recommended Dilutions

Immunogen Information

 WB
 1:500 - 1:2000

 IHC-P
 1:50 - 1:200

 IF/ICC
 1:50 - 1:200

Gene ID 6774 Swiss Prot P40763

Immunogen Recombinant protein of human STAT3

Synonyms APRF; HIES; ADMIO; ADMIO1; STAT3

Contact

€

Product Information

www.abclonal.com

lsotype IgG Purification Affinity purification


Storage

Source

Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.





Western blot analysis of extracts of various cell lines, using STAT3 antibody (A11185). Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.