

A2456

Leader in Biomolecular Solutions for Life Science



NF2 Rabbit pAb

Catalog No.: A2456

Basic Information

Observed MW

73kDa

Calculated MW

70kDa

Category

Polyclonal Antibody

Applications

WB,IP,ELISA

Cross-Reactivity

Human,Mouse,Rat

Background

This gene encodes a protein that is similar to some members of the ERM (ezrin, radixin, moesin) family of proteins that link cytoskeletal components with proteins in the cell membrane. The encoded protein is involved in regulation of contact-dependent inhibition of cell proliferation and functions in cell-cell adhesion and transmembrane signaling. The encoded protein has been shown to interact with cell-surface proteins, proteins involved in cytoskeletal dynamics, and proteins involved in regulating ion transport. Disruption of this protein's function has been implicated in tumorigenesis and metastasis. Mutations in this gene are associated with neurofibromatosis type II which is characterized by nervous system and skin tumors and ocular abnormalities.

Recommended Dilutions

WB 1:500 - 1:1000

IP 0.5µg-4µg antibody for
200µg-400µg extracts of
whole cells

Immunogen Information

Gene ID

4771

Swiss Prot

P35240

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 19-595 of human NF2 (NP_000259.1).

Synonyms

ACN; SCH; BANF; merlin-1; NF2

Contact



www.abclonal.com

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates using NF2 Rabbit pAb (A2456) at 1:1000 dilution.
Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 180s.

Immunoprecipitation analysis of 200 µg extracts of Hela cells using 3 µg NF2 Rabbit pAb (A2456). Western blot was performed from the immunoprecipitate using NF2 Rabbit pAb (A2456) at a dilution of 1:1000.

