Leader in Biomolecular Solutions for Life Science

# **PSD95** Rabbit pAb

Catalog No.: A6194 9 Publications



## **Basic Information**

# **Observed MW**

95kDa

### **Calculated MW**

80kDa

### Category

Polyclonal Antibody

### **Applications**

WB,IF/ICC,ELISA

### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

This gene encodes a member of the membrane-associated guanylate kinase (MAGUK) family. It heteromultimerizes with another MAGUK protein, DLG2, and is recruited into NMDA receptor and potassium channel clusters. These two MAGUK proteins may interact at postsynaptic sites to form a multimeric scaffold for the clustering of receptors, ion channels, and associated signaling proteins. Multiple transcript variants encoding different isoforms have been found for this gene.

# **Recommended Dilutions**

**WB** 1:100 - 1:500

**IF/ICC** 1:50 - 1:200

# **Immunogen Information**

**Gene ID Swiss Prot** 1742 P78352

### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 420-510 of human PSD95 (NP\_001308004.1).

### **Synonyms**

MRD62; PSD95; SAP90; SAP-90

### **Contact**

www.abclonal.com


# **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.




Western blot analysis of extracts of various cell lines, using PSD95 antibody (A6194) at 1:500 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 180s.



Immunofluorescence analysis of SH-SY5Y cells using PSD95 Rabbit pAb (A6194) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.