

A8043

Leader in Biomolecular Solutions for Life Science



## MST1/STK4 Rabbit pAb

Catalog No.: A8043

7 Publications

### Basic Information

#### Observed MW

56kDa

#### Calculated MW

56kDa

#### Category

Polyclonal Antibody

#### Applications

WB, IHC-P, IF/ICC, IP, ELISA

#### Cross-Reactivity

Human, Mouse, Rat

### Background

The protein encoded by this gene is a cytoplasmic kinase that is structurally similar to the yeast Ste20p kinase, which acts upstream of the stress-induced mitogen-activated protein kinase cascade. The encoded protein can phosphorylate myelin basic protein and undergoes autophosphorylation. A caspase-cleaved fragment of the encoded protein has been shown to be capable of phosphorylating histone H2B. The particular phosphorylation catalyzed by this protein has been correlated with apoptosis, and it's possible that this protein induces the chromatin condensation observed in this process.

### Recommended Dilutions

WB	1:500 - 1:1000
IHC-P	1:50 - 1:200
IF/ICC	1:50 - 1:200
IP	0.5µg-4µg antibody for 200µg-400µg extracts of whole cells

### Immunogen Information

#### Gene ID

6789

#### Swiss Prot

Q13043

#### Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 303-487 of human MST1/STK4 (NP\_006273.1).

#### Synonyms

KRS2; MST1; YSK3; K4

### Contact



[www.abclonal.com](http://www.abclonal.com)

### Product Information

#### Source

Rabbit

#### Isotype

IgG

#### Purification


Affinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH 7.3.

Validation Data



Western blot analysis of various lysates using MST1/STK4 Rabbit pAb (A8043) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (A5014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 15s.

Immunoprecipitation analysis of 100 µg extracts of HepG2 cells using 3 µg MST1/STK4 antibody (A8043). Western blot was performed from the immunoprecipitate using MST1/STK4 antibody (A8043) at a dilution of 1:1000.

