AE031

Leader in Biomolecular Solutions for Life Science

HRP-conjugated Rabbit anti GFP-Tag mAb

Catalog No.: AE031



Basic Information

Observed MW 27kDa

Calculated MW

Category SMab Recombinant Monoclonal Antibody

Applications WB,ELISA

Cross-Reactivity Species independent

CloneNo number ARC50813-HRP

Conjugate HRP

Recommended Dilutions

wв

1:2000 - 1:10000

Background

The green fluorescent protein (GFP) is a protein composed of 238 amino acid residues (26.9 kDa) that exhibits bright green fluorescence when exposed to light in the blue to ultraviolet range. Although many other marine organisms have similar green fluorescent proteins, GFP traditionally refers to the protein first isolated from the jellyfish Aequorea victoria. The GFP from A. victoria has a major excitation peak at a wavelength of 395 nm and a minor one at 475 nm. Its emission peak is at 509 nm, which is in the lower green portion of the visible spectrum. The GFP from the sea pansy (Renilla reniformis) has a single major excitation peak at 498 nm. GFP makes for an excellent tool in many forms of biology due to its ability to form internal chromophore without requiring any accessory cofactors, gene products, or enzymes / substrates other than molecular oxygen. In cell and molecular biology, the GFP gene is frequently used as a reporter of expression. It has been used in modified forms to make biosensors, and many animals have been created that express GFP, which demonstrates a proof of concept that a gene can be expressed throughout a given organism, in selected organs, or in cells of interest. GFP can be introduced into animals or other species through transgenic techniques, and maintained in their genome and that of their offspring. To date, GFP has been expressed in many species, including bacteria, yeasts, fungi, fish and mammals, including in human cells.

Immunogen Information

Gene ID

Swiss Prot

Immunogen

A synthetic peptide corresponding to GFP-Tag.

Synonyms

GFP;GFP tag;GFP-tag

Contact

Ð

www.abclonal.com


Product Information

Source Rabbit **lsotype** IgG Purification Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates, using HRP-conjugated Rabbit anti GFP-Tag antibody (AE031) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 0.5s.