Leader in Biomolecular Solutions for Life Science

# ABclonal www.abclonal.com

# Recombinant Human B7-H5/Gi24/VISTA Protein

Catalog No.: RP01023 Recombinant

## **Sequence Information**

**Species Gene ID Swiss Prot** Human 64115 AAH20568.1

**Tags** C-hFc&His

**Synonyms** 

VSIR;B7-H5;B7H5;C10orf54;DD1alpha;GI24;PD-1H ;PP2135;SISP1;VISTA

### **Product Information**

Source Purification HEK293 cells > 97% by SDS-PAGE.

#### **Endotoxin**

 $< 0.1 \; \text{EU/}\mu\text{g}$  of the protein by LAL method.

# Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.Contact us for customized product form or formulation.

#### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### **Contact**

0

www.abclonal.com

# **Background**

V-type immunoglobulin domain-containing suppressor of T-cell activation(VISTA) also known as platelet receptor Gi24 , stress-induced secreted protein-1 (Sisp-1) and B7

#### **Basic Information**

#### Description


Recombinant Human B7-H5/Gi24/VISTA Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Phe33-Ala194) of human VISTA/B7-H5/PD-1H (Accession #AAH20568.1) fused with an Fc,  $6\times$ His tag at the C-terminus.

#### **Bio-Activity**


#### Storage

Store the lyophilized protein at -20°C to -80 °C for long term. <br/>br>After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week. Avoid repeated freeze/thaw cycles.

# **Validation Data**



Recombinant Human B7-H5/Gi24/VISTA Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 68-75 kDa.



Immobilized Human VISTA Protein at 5µg/mL (100 µL/well) can bind Biotinylated Human VSIG3/IgSF11 with a linear range of 0.02-2.03 µg/mL.