Leader in Biomolecular Solutions for Life Science

TDO2 Rabbit pAb

Catalog No.: A13182



Basic Information

Observed MW

48kDa

Calculated MW

48kDa

Category

Mouse Monoclonal Antibody

Applications

WB,IF/ICC,ELISA

Cross-Reactivity

Human, Mouse, Rat

Background

This gene encodes a heme enzyme that plays a critical role in tryptophan metabolism by catalyzing the first and rate-limiting step of the kynurenine pathway. Increased activity of the encoded protein and subsequent kynurenine production may also play a role in cancer through the suppression of antitumor immune responses, and single nucleotide polymorphisms in this gene may be associated with autism.

Recommended Dilutions

WB 1:500 - 1:1000

IF/ICC 1:100 - 1:500

Immunogen Information

Gene IDSwiss Prot
6999
P48775

Immunogen

A synthetic peptide corresponding to a sequence within amino acids 100-200 of human TDO2 (NP 005642.1).

Synonyms

TO; TDO; TPH2; TRPO; HYPTRP; TDO2

Contact

www.abclonal.com


Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.




Western blot analysis of extracts of various cell lines, using TDO2 antibody (A13182) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit $\lg G (H+L) (AS014)$ at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 60s.



Immunofluorescence analysis of A-431 cells using TDO2 Rabbit pAb (A13182) at dilution of 1:500 (40x lens). Blue: DAPI for nuclear staining.