

A13557

Leader in Biomolecular Solutions for Life Science



TPM3 Rabbit pAb

Catalog No.: A13557

Basic Information

Observed MW

37kDa

Calculated MW

33kDa

Category

Polyclonal Antibody

Applications

WB, ELISA

Cross-Reactivity

Mouse

Background

This gene encodes a member of the tropomyosin family of actin-binding proteins. Tropomyosins are dimers of coiled-coil proteins that provide stability to actin filaments and regulate access of other actin-binding proteins. Mutations in this gene result in autosomal dominant nemaline myopathy and other muscle disorders. This locus is involved in translocations with other loci, including anaplastic lymphoma receptor tyrosine kinase (ALK) and neurotrophic tyrosine kinase receptor type 1 (NTRK1), which result in the formation of fusion proteins that act as oncogenes. There are numerous pseudogenes for this gene on different chromosomes. Alternative splicing results in multiple transcript variants.

Recommended Dilutions

WB 1:500 - 1:2000

Immunogen Information

Gene ID

7170

Swiss Prot

P06753

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-284 of human TPM3 (NP_689476.2).

Synonyms

TM3; TM5; TRK; CFTD; NEM1; TM-5; TM30; CAPM1; CMYP4A; CMYP4B; TM30nm; TPM3nu; TPMsk3; hscp30; HEL-189; HEL-S-82p; OK/SW-cl.5; TPM3

Contact



www.abclonal.com

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH 7.3.

Validation Data



Western blot analysis of extracts of various cell lines, using TPM3 antibody (A13557) at 1:1000 dilution.
Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (A5014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.