Leader in Biomolecular Solutions for Life Science

# **ALDH4A1** Rabbit pAb

Catalog No.: A13569



## **Basic Information**

### **Observed MW**

61kDa

#### **Calculated MW**

62kDa

#### Category

Mouse Monoclonal Antibody

#### **Applications**

WB,ELISA

### **Cross-Reactivity**

Human, Mouse

# **Background**

This protein belongs to the aldehyde dehydrogenase family of proteins. This enzyme is a mitochondrial matrix NAD-dependent dehydrogenase which catalyzes the second step of the proline degradation pathway, converting pyrroline-5-carboxylate to glutamate. Deficiency of this enzyme is associated with type II hyperprolinemia, an autosomal recessive disorder characterized by accumulation of delta-1-pyrroline-5-carboxylate (P5C) and proline. Alternatively spliced transcript variants encoding different isoforms have been identified for this gene.

# **Recommended Dilutions**

WB

1:500 - 1:2000

# **Immunogen Information**

Gene ID 8659 Swiss Prot

P30038

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 354-563 of human ALDH4A1 (NP\_003739.2).

### **Synonyms**

P5CD; ALDH4; P5CDh; ALDH4A1

### **Contact**

•

www.abclonal.com

# **Product Information**


**Source** Rabbit **Isotype** IgG **Purification**Affinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of extracts of various cell lines, using ALDH4A1 antibody (A13569) at 1:1000

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.