Leader in Biomolecular Solutions for Life Science

# **CES2** Rabbit pAb

Catalog No.: A13640



### **Basic Information**

**Observed MW** 57kDa

Calculated MW 62kDa

**Category** Primary antibody

Applications ELISA,WB

Cross-Reactivity Human, Mouse

**Recommended Dilutions** 

## Background

This gene encodes a member of the carboxylesterase large family. The family members are responsible for the hydrolysis or transesterification of various xenobiotics, such as cocaine and heroin, and endogenous substrates with ester, thioester, or amide bonds. They may participate in fatty acyl and cholesterol ester metabolism, and may play a role in the blood-brain barrier system. The protein encoded by this gene is the major intestinal enzyme and functions in intestine drug clearance. Alternatively spliced transcript variants have been found for this gene.

## Immunogen Information

WB

## 1:500 - 1:2000

**Swiss Prot** 000748

### Immunogen

Gene ID

8824

A synthetic peptide corresponding to a sequence within amino acids 310-410 of human CES2 (NP\_003860.3).

#### Synonyms

iCE; CE-2; PCE-2; CES2A1; CES2

| Contact |  |
|---------|--|
|---------|--|

### **Product Information**

| www.abclonal.com |  |
|------------------|--|
|------------------|--|


**lsotype** IgG Purification Affinity purification

### Storage

Source

Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of extracts of various cell lines, using CES2 antibody (A13640) at 1:1000 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.