Leader in Biomolecular Solutions for Life Science

# **NEU3 Rabbit pAb**

Catalog No.: A13842



### **Basic Information**

### **Observed MW**

48kDa

### **Calculated MW**

48kDa

#### Category

Polyclonal Antibody

### **Applications**

WB,IF/ICC,ELISA

#### **Cross-Reactivity**

Human, Mouse

# **Background**

This gene product belongs to a family of glycohydrolytic enzymes which remove sialic acid residues from glycoproteins and glycolipids. It is localized in the plasma membrane, and its activity is specific for gangliosides. It may play a role in modulating the ganglioside content of the lipid bilayer.

# **Recommended Dilutions**

**WB** 1:500 - 1:2000

**IF/ICC** 1:50 - 1:200

# **Immunogen Information**

 Gene ID
 Swiss Prot

 10825
 Q9UQ49

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 222-461 of human NEU3 (NP\_006647.3).

### **Synonyms**

SIAL3; NEU3

### **Contact**

www.abclonal.com

### **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

# **Validation Data**




Western blot analysis of various lysates using NEU3 Rabbit pAb (A13842) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.



Immunofluorescence analysis of NIH/3T3 cells using NEU3 Rabbit pAb (A13842) at dilution of 1:100 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.