Leader in Biomolecular Solutions for Life Science

NMNAT3 Rabbit pAb

Catalog No.: A14465



Basic Information

Observed MW 28kDa

Calculated MW 28kDa

Category Primary antibody

Applications ELISA,WB,IF/ICC

Cross-Reactivity Human, Mouse, Rat

Background

This gene encodes a member of the nicotinamide/nicotinic acid mononucleotide adenylyltransferase family. These enzymes use ATP to catalyze the synthesis of nicotinamide adenine dinucleotide or nicotinic acid adenine dinucleotide from nicotinamide mononucleotide or nicotinic acid mononucleotide, respectively. The encoded protein is localized to mitochondria and may also play a neuroprotective role as a molecular chaperone. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.

Immunogen Information

 WB
 1:500 - 1:2000

 IF/ICC
 1:50 - 1:200

Recommended Dilutions

Gene ID 349565

Swiss Prot Q96T66

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-215 of human NMNAT3 (NP_835471.1).

Synonyms

PNAT3; FKSG76; PNAT-3; NMNAT3

Product Information

Ð	<u>www.abclonal.com</u>	


lsotype lgG Purification Affinity purification

Storage


Source

Rabbit


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.



Western blot analysis of various lysates using NMNAT3 Rabbit pAb (A14465) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 90s.



Immunofluorescence analysis of HeLa cells using NMNAT3 Rabbit pAb (A14465) at dilution of 1:100. Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of NIH/3T3 cells using NMNAT3 Rabbit pAb (A14465) at dilution of 1:100. Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.