# ABclonal www.abclonal.com

# **PAK5 Rabbit pAb**

Catalog No.: A15872

# **Basic Information**

#### **Observed MW**

81kDa

#### **Calculated MW**

81kDa

#### Category

Primary antibody

# **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human, Mouse

# **Background**

The protein encoded by this gene is a member of the PAK family of Ser/Thr protein kinases. PAK family members are known to be effectors of Rac/Cdc42 GTPases, which have been implicated in the regulation of cytoskeletal dynamics, proliferation, and cell survival signaling. This kinase contains a CDC42/Rac1 interactive binding (CRIB) motif, and has been shown to bind CDC42 in the presence of GTP. This kinase is predominantly expressed in brain. It is capable of promoting neurite outgrowth, and thus may play a role in neurite development. This kinase is associated with microtubule networks and induces microtubule stabilization. The subcellular localization of this kinase is tightly regulated during cell cycle progression. Alternatively spliced transcript variants encoding the same protein have been described.

# **Recommended Dilutions**

WB

1:500 - 1:2000

# **Immunogen Information**

**Gene ID** 57144

**Swiss Prot** 

Q9P286

# **Immunogen**

A synthetic peptide corresponding to a sequence within amino acids 600-700 of human PAK5 (NP\_065074.1).

### **Synonyms**

PAK7; PAK5

#### **Contact**

•

www.abclonal.com

# **Product Information**

Source

Isotype

**Purification** 


IgG Affinity purification

# Storage

Rabbit

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.



Western blot analysis of lysates from U-87MG cells, using PAK5 Rabbit pAb (A15872) at 1:1000 ....

dilution

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 10s.