Leader in Biomolecular Solutions for Life Science

# **OR2T10 Rabbit pAb**

Catalog No.: A15948



#### **Basic Information**

**Observed MW** 36kDa

Calculated MW 35kDa

**Category** Primary antibody

Applications ELISA,WB

Cross-Reactivity Human, Mouse

#### Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

### Recommended Dilutions

1:500 - 1:2000

## Immunogen Information

WB

**Gene ID** 127069 Swiss Prot Q8NGZ9

#### Immunogen

A synthetic peptide corresponding to a sequence within amino acids 1-100 of human OR2T10 (NP\_001004693.1).

Synonyms

OR1-64; OR2T10

Contact	
---------	--

#### **Product Information**

 www.abclonal.com


**lsotype** IgG Purification Affinity purification

Storage

Source

Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.



Western blot analysis of various lysates using OR2T10 Rabbit pAb (A15948) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021). Exposure time: 90s.