A1767

Leader in Biomolecular Solutions for Life Science

AIRE Rabbit pAb

Catalog No.: A1767



Basic Information

Observed MW 55kDa

Calculated MW 58kDa

Category Polyclonal Antibody

Applications WB,IF/ICC,ELISA

Cross-Reactivity Human,Mouse,Rat

Background

This gene encodes a transcriptional regulator that forms nuclear bodies and interacts with the transcriptional coactivator CREB binding protein. The encoded protein plays an important role in immunity by regulating the expression of autoantigens and negative selection of autoreactive T-cells in the thymus. Mutations in this gene cause the rare autosomal-recessive systemic autoimmune disease termed autoimmune polyendocrinopathy with candidiasis and ectodermal dystrophy (APECED).

Recommended Dilutions

Immunogen Information

WB	1:500 - 1:2000	Gene ID
		326
IF/ICC	1:50 - 1:200	

Gene ID	Swiss Prot
326	O43918

Immunogen

A synthetic peptide corresponding to a sequence within amino acids 30-130 of human AIRE (NP_000374.1).

Synonyms

APS1; APSI; PGA1; AIRE1; APECED; AIRE

€

Product Information

www.abclonal.com

lsotype IgG Purification Affinity purification


Storage

Source


Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.


Validation Data




Western blot analysis of extracts of various cell lines, using AIRE antibody (A1767) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.



Immunofluorescence analysis of NIH/3T3 cells using AIRE Rabbit pAb (A1767) at dilution of 1:100. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of HeLa cells using AIRE Rabbit pAb (A1767) at dilution of 1:100. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of C6 cells using AIRE Rabbit pAb (A1767) at dilution of 1:100. Blue: DAPI for nuclear staining.