# A1791

Leader in Biomolecular Solutions for Life Science

# ACVRL1 Rabbit pAb

Catalog No.: A1791



# Basic Information

1 Publications

Observed MW 65kDa

Calculated MW 56kDa

Category Polyclonal Antibody

Applications WB,ELISA

Cross-Reactivity Human,Mouse,Rat

### Background

This gene encodes a type I cell-surface receptor for the TGF-beta superfamily of ligands. It shares with other type I receptors a high degree of similarity in serine-threonine kinase subdomains, a glycine- and serine-rich region (called the GS domain) preceding the kinase domain, and a short C-terminal tail. The encoded protein, sometimes termed ALK1, shares similar domain structures with other closely related ALK or activin receptor-like kinase proteins that form a subfamily of receptor serine/threonine kinases. Mutations in this gene are associated with hemorrhagic telangiectasia type 2, also known as Rendu-Osler-Weber syndrome 2.

# **Recommended Dilutions**

# **Immunogen Information**

WB

#### 1:500 - 1:2000

Gene ID 94 Swiss Prot P37023

#### Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 234-503 of human ACVRL1 (NP\_001070869.1).

#### Synonyms

HHT; ALK1; HHT2; ORW2; SKR3; ALK-1; TSR-I; ACVRLK1; ACVRL1

Contact
---------

# **Product Information**

www.abclonal.com

**lsotype** IgG Purification Affinity purification


#### Storage

Source

Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

# Validation Data



Western blot analysis of extracts of various cell lines, using ACVRL1 antibody (A1791) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 30s.