

A17952

Leader in Biomolecular Solutions for Life Science



Ubiquityl-Histone H2A-K119 Rabbit pAb

Catalog No.: A17952

Basic Information

Observed MW

23kDa

Calculated MW

14kDa

Category

Mouse Monoclonal Antibody

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse, Rat, Other (Wide Range Predicted)

Background

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. H2A clustered histone (H2AC) consists of several H2A family members, which function as replication-dependent histone proteins.

Recommended Dilutions

WB 1:500 - 1:2000

Immunogen Information

Gene ID
3012/8329

Swiss Prot
P04908/P0C058

Immunogen

A synthetic ubiquitinated peptide around K119 of human HIST1H2AB (NP_734466.1).

Synonyms

HIST1H2AB; Ubiquityl-Histone H2A-K119

Contact



www.abclonal.com

Product Information

Source
Rabbit

Isotype
IgG


Purification
Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH 7.3.

Validation Data



Western blot analysis of lysates from C6 cells, using Ubiquityl-Histone H2A-K119 Rabbit pAb (A17952) at 1:1000 dilution.
Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Enhanced Kit (RM00021).
Exposure time: 180s.