Leader in Biomolecular Solutions for Life Science

# N6-methyladenosine / m6A Rabbit mAb

ABclonal www.abclonal.com

Catalog No.: A19841

Recombinant

21 Publications

### **Basic Information**

#### **Observed MW**

#### **Calculated MW**

#### Category

Small Molecule-specific Antibody

### **Applications**

IF/ICC,ELISA, Nucleotide Array, DB, meRIP

### **Cross-Reactivity**

Species independent

### CloneNo number

ARC5003-10

# **Background**

Discovered in the 1970s, m6A is the most prevalent internal modification in polyadenylated mRNAs and long non-coding RNAs (IncRNAs) in higher eukaryotes. m6A is widely conserved among eukaryotic species that range from yeast, plants, flies to mammals, as well as among viral RNAs with a nuclear phase. The m6A-based modification is associated with a well-defined RNA motif, RRACH (R: A/G, H: A/C/U). As a representative of the epitranscriptome, m6A mRNA modifications participate in many vital activities in the cell, including stem cell self-renewal and differentiation, mRNA transcription, alternative splicing, nuclear export, translation, degradation, and microRNA processing. These processes determine the expression or inactivation of specific genes, which is vital for growth and development.(PMID: 30416848; PMID: 24662220; PMID: 30429466)

# **Recommended Dilutions**

DB	1:500 - 1:2000
meRIP	1:50 - 1:200
IF/ICC	1:50 - 1:200

## **Immunogen Information**

Gene ID Swiss Prot

### **Immunogen**

Chemical compounds corresponding to N6-methyladenosine / m6A.

#### **Synonyms**

N6-methyladenosine; m6A; N6-methyladenosine / m6A

### **Contact**

www.abclonal.com

# **Product Information**


SourceIsotypePurificationRabbitIgGProtein A

### Storage

Store at -20°C. Avoid freeze / thaw cycles.


Buffer: PBS with 0.01% thimerosal, 0.05% BSA, 50% glycerol, pH7.3.

## **Validation Data**




The m6A rabbit monoclonal antibody (A19841) are tested in Dot Blot against N6-methyladenosine (m6A) and unmodified adenosine.

Oligomer 8 - ATAACTGG-m6A-CCGAATGG Oligomer 9 - ATAACTGGACCGAATGG Oligomer 10 - AAAAAAAAAAAAAAAA-biotin.



Immunofluorescence analysis of U-2 OS treated with UV(30s)+Brdu(0min) and U-2 OS treated with UV(30s)+Brdu(10min) cells using N6-methyladenosine / m6A Rabbit mAb (A19841) at dilution of 1:100 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.



RNA Immunoprecipitation was performed on 100  $\mu g$  mouse liver total RNA ,using 5  $\mu g$  of the N6-methyladenosine / m6A Rabbit mAb. An equal amount of IgG was used as negative control. The immunoprecipitated RNA was verified by using HS6ST1 as PCR primer of qRT-PCR . The picture shows the relative enrichment multiple of HS6ST1 site.