# ABclonal www.abclonal.com

# **BC12 Rabbit pAb**

Catalog No.: A20638

# **Basic Information**

#### **Observed MW**

116kDa

#### **Calculated MW**

116kDa

#### **Category**

Polyclonal Antibody

#### **Applications**

WB, ELISA

## **Cross-Reactivity**

Oryza sativa

# **Background**

Microtubule-dependent motor protein involved in the control of the oriented deposition of cellulose microfibrils. Involved in wall biogenesis and modification, and contributes to cell-cycle progression and cell division. Acts as a transcriptional activator in gibberellic acid (GA) biosynthesis pathway. Binds specifically to the DNA sequence 5'-ACCAACTTGAA-3' of the ent-kaurene oxidase 2 (CYP701A6 or OsKO2) promoter. May regulate CYP701A6 gene expression and mediates cell elongation by regulating the GA biosynthesis pathway

# **Recommended Dilutions**

WB

1:500 - 1:2000

# **Immunogen Information**

**Gene ID** 4346402

Swiss Prot Q6YUL8

# Immunogen

Recombinant protein of Oryza sativa BC12.

#### **Synonyms**

BC2; GDD1; KIF4-like; OsJ\_28385; OJ1134\_E08.39-1; OJ1134\_E08.39-2; OJ1134\_E08.39-3; BC12

## **Contact**

•

www.abclonal.com

## **Product Information**

**Source** Rabbit **Isotype** IgG


**Purification**Affinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.

# Validation Data



Western blot analysis of extracts of various tissues from the japonica rice (Oryza sativa L.) variety Zhonghua 11, using BC12 Rabbit pAb (A20638) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 120s.