

A3180

Leader in Biomolecular Solutions for Life Science



NTF4 Rabbit pAb

Catalog No.: A3180

Basic Information

Observed MW

22kDa

Calculated MW

22kDa

Category

Mouse Monoclonal Antibody

Applications

WB, ELISA

Cross-Reactivity

Human, Mouse

Background

This gene is a member of a family of neurotrophic factors, neurotrophins, that control survival and differentiation of mammalian neurons. The expression of this gene is ubiquitous and less influenced by environmental signals. While knock-outs of other neurotrophins including nerve growth factor, brain-derived neurotrophic factor, and neurotrophin 3 prove lethal during early postnatal development, NTF5-deficient mice only show minor cellular deficits and develop normally to adulthood.

Recommended Dilutions

WB 1:1000 - 1:5000

Immunogen Information

Gene ID

4909

Swiss Prot

P34130

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 25-210 of human NTF4 (NP_006170.1).

Synonyms

NT4; NT5; NT-4; NT-5; NTF5; GLC10; GLC10; NT-4/5; NTF4

Contact



www.abclonal.com

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH7.3.

Validation Data



Western blot analysis of lysates from LNCaP cells, using NTF4 Rabbit pAb (A3180) at 1:500 dilution.
Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (A5014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 180s.

Western blot analysis of lysates from Mouse testis, using NTF4 Rabbit pAb (A3180) at 1:1000 dilution.
Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (A5014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 180s.

