Leader in Biomolecular Solutions for Life Science

# **HMGCS1** Rabbit pAb

Catalog No.: A3916 5 Publications



### **Basic Information**

### **Observed MW**

57kDa

### **Calculated MW**

57kDa

### Category

Mouse Monoclonal Antibody

### **Applications**

WB,IF/ICC,ELISA

### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

Enables protein homodimerization activity. Predicted to be involved in acetyl-CoA metabolic process and farnesyl diphosphate biosynthetic process, mevalonate pathway. Predicted to be located in cytoplasm. Predicted to be active in cytosol.

# **Recommended Dilutions**

**WB** 1:1000 - 1:2000

**IF/ICC** 1:50 - 1:200

# **Immunogen Information**

**Gene ID**3157

Swiss Prot
Q01581

### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 241-520 of human HMGCS1 (NP\_002121.4).

# **Synonyms**

HMGCS; HMGCS1

# **Contact**

www.abclonal.com


# **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.




Western blot analysis of various lysates using HMGCS1 Rabbit pAb (A3916) at 1:7000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.


Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.



Immunofluorescence analysis of C6 cells using HMGCS1 Rabbit pAb (A3916) at dilution of 1:100 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of HeLa cells using HMGCS1 Rabbit pAb (A3916) at dilution of 1:100 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.