γ-Tubulin Rabbit pAb

Catalog No.: A6215



Basic Information

Observed MW 50kDa

Calculated MW 51kDa

Category **Polyclonal Antibody**

Applications WB,ELISA

Cross-Reactivity Human, Mouse, Rat

Background

This gene encodes a member of the tubulin superfamily. The encoded protein localizes to the centrosome where it binds to microtubules as part of a complex referred to as the gamma-tubulin ring complex. The protein mediates microtubule nucleation and is required for microtubule formation and progression of the cell cycle. A pseudogene of this gene is found on chromosome 7.

Recommended Dilutions Immunogen Information

WB	1:500 - 1:1000	Gene ID	Swiss Prot	
		7283	P23258	

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 382-451 of human γ-Tubulin (NP_001061.2).

Synonyms

TUBG; GCP-1; CDCBM4; TUBGCP1; γ-Tubulin

Contact	
Contact	

Product Information

Ð www.abclonal.com

Isotype IgG

Purification Affinity purification


Storage

Source

Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.

Validation Data



Western blot analysis of extracts of various cell lines, using γ -Tubulin antibody (A6215) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 1s.