

A9835

Leader in Biomolecular Solutions for Life Science



# ABCB4 Rabbit pAb

Catalog No.: A9835 **1 Publications**

## Basic Information

### Observed MW

144kDa

### Calculated MW

142kDa

### Category

Polyclonal Antibody

### Applications

WB,ELISA

### Cross-Reactivity

Human,Mouse

## Background

The membrane-associated protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). This protein is a member of the MDR/TAP subfamily. Members of the MDR/TAP subfamily are involved in multidrug resistance as well as antigen presentation. This gene encodes a full transporter and member of the p-glycoprotein family of membrane proteins with phosphatidylcholine as its substrate. The function of this protein has not yet been determined; however, it may involve transport of phospholipids from liver hepatocytes into bile. Alternative splicing of this gene results in several products of undetermined function.

## Recommended Dilutions

WB 1:500 - 1:2000

## Immunogen Information

### Gene ID

5244

### Swiss Prot

P21439

### Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-110 of human ABCB4 (NP\_061337.1).

### Synonyms

GBD1; ICP3; MDR2; MDR3; PGY3; ABC21; MDR2/3; PFIC-3; ABCB4

## Contact



[www.abclonal.com](http://www.abclonal.com)

## Product Information

### Source

Rabbit

### Isotype

IgG

### Purification

Affinity purification


### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

## Validation Data

---



Western blot analysis of extracts of mouse brain, using ABCB4 antibody (A9835) at 1:1000 dilution.  
Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.  
Lysates/proteins: 25 $\mu$ g per lane.  
Blocking buffer: 3% nonfat dry milk in TBST.  
Detection: ECL Basic Kit (RM00020).  
Exposure time: 30s.