# ABclonal www.abclonal.com

## Phospho-Cortactin-Y466 Rabbit pAb

Catalog No.: AP0247

## **Basic Information**

#### **Observed MW**

80kDa

#### **Calculated MW**

62kDa

#### Category

Primary antibody

## **Applications**

WB

#### **Cross-Reactivity**

Human, Mouse

## **Background**

This gene is overexpressed in breast cancer and squamous cell carcinomas of the head and neck. The encoded protein is localized in the cytoplasm and in areas of the cell-substratum contacts. This gene has two roles: (1) regulating the interactions between components of adherens-type junctions and (2) organizing the cytoskeleton and cell adhesion structures of epithelia and carcinoma cells. During apoptosis, the encoded protein is degraded in a caspase-dependent manner. The aberrant regulation of this gene contributes to tumor cell invasion and metastasis. Three splice variants that encode different isoforms have been identified for this gene.

## **Recommended Dilutions**

WB

1:500 - 1:2000

## **Immunogen Information**

Gene ID

Swiss Prot Q14247

**Purification** 

Affinity purification

2017

### **Immunogen**

A phospho specific peptide corresponding to residues surrounding Y466 of human Cortactin

#### **Synonyms**

EMS1; Phospho-Cortactin-Y466

## **Contact**

•

www.abclonal.com

## **Product Information**


Source Isotype
Rabbit IgG

## Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

## **Validation Data**



Western blot analysis of extracts from Jurkat cells using Phospho-Cortactin-Y466 antibody (AP0247). Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% BSA.