

# **CASP3 Polyclonal Antibody**

Catalog No. A0214 Category Polyclonal Antibodies

ApplicationsWBObserved MW34kDaCross-reactivityHuman, Mouse, RatCalculated MW31kDa

## **Immunogen Information**

**Immunogen** A synthetic peptide corresponding to a sequence within

amino acids 100-200 of human CASP3 (NP 004337.2).

 Gene ID
 836

 Swiss prot
 P42574

**Synonyms** CPP32;CPP32B;SCA-1

#### **Product information**

Source Rabbit Isotype IgG

Purification method Affinity purification

**Storage** Store at -20°C. Avoid freeze / thaw cycles.


Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

#### **Background**

This gene encodes a protein which is a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. This protein cleaves and activates caspases 6, 7 and 9, and the protein itself is processed by caspases 8, 9 and 10. It is the predominant caspase involved in the cleavage of amyloid-beta 4A precursor protein, which is associated with neuronal death in Alzheimer's disease. Alternative splicing of this gene results in two transcript variants that encode the same protein.

### **Recommended Dilutions**

WB 1:500 - 1:2000



Western blot analysis of extracts of various cell lines, using CASP3 antibody (A0214) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.