Leader in Biomolecular Solutions for Life Science

# **PAPD7** Rabbit pAb

Catalog No.: A10017



### **Basic Information**

### **Observed MW**

82kDa

### **Calculated MW**

85kDa

#### Category

Mouse Monoclonal Antibody

### **Applications**

WB,IHC-P,ELISA

#### **Cross-Reactivity**

Human, Mouse, Rat

## **Background**

The protein encoded by this gene is a DNA polymerase that is likely involved in DNA repair. In addition, the encoded protein may be required for sister chromatid adhesion. Alternatively spliced transcript variants that encode different isoforms have been described.

### **Recommended Dilutions**

**WB** 1:500 - 1:1000

IHC-P 1:50 - 1:200

### **Immunogen Information**

**Gene ID**Swiss Prot
11044
Q5XG87

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 303-542 of human PAPD7 (NP\_008930.1).

### **Synonyms**

LAK1; POLK; POLS; TRF4; LAK-1; PAPD7; TRF41; TRF4-1; TUTASE5

### **Contact**

www.abclonal.com

### **Product Information**


SourceIsotypePurificationRabbitIgGAffinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.


### **Validation Data**



Western blot analysis of extracts of various cell lines, using PAPD7 antibody (A10017) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021).

Exposure time: 90s.



Immunohistochemistry analysis of paraffinembedded human placenta using PAPD7 Rabbit pAb (A10017) at dilution of 1:50 (40x lens).Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.