Leader in Biomolecular Solutions for Life Science

# IARS Rabbit pAb

Catalog No.: A10190 1 Publications



# **Basic Information**

### **Observed MW**

144kDa

### **Calculated MW**

144kDa

### Category

Polyclonal Antibody

### **Applications**

WB, ELISA

### **Cross-Reactivity**

Human

# **Background**

Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid. Because of their central role in linking amino acids with nucleotide triplets contained in tRNAS, aminoacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. Isoleucine-tRNA synthetase belongs to the class-I aminoacyl-tRNA synthetase family and has been identified as a target of autoantibodies in the autoimmune disease polymyositis/dermatomyositis. Alternatively spliced transcript variants have been

# **Recommended Dilutions**

WB

1:500 - 1:2000

# **Immunogen Information**

Gene ID 3376 **Swiss Prot** 

P41252

### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1158-1262 of human IARS (NP\_002152.2).

### **Synonyms**

IRS; IARS; ILRS; ILERS; GRIDHH; PRO0785

### **Contact**

•

www.abclonal.com

# **Product Information**

**Source** Rabbit **Isotype** IgG Purification


Affinity purification

## Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of extracts of various cell lines, using IARS antibody (A10190) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 1s.