# ABclonal® www.abclonal.com

## PDE4B Rabbit pAb

Catalog No.: A10196 1 Publications

## **Basic Information**

## **Observed MW**

83kDa

## **Calculated MW**

83kDa

#### Category

Primary antibody

### **Applications**

ELISA,WB

#### **Cross-Reactivity**

Human, Mouse

## **Background**

This gene is a member of the type IV, cyclic AMP (cAMP)-specific, cyclic nucleotide phosphodiesterase (PDE) family. The encoded protein regulates the cellular concentrations of cyclic nucleotides and thereby play a role in signal transduction. Altered activity of this protein has been associated with schizophrenia and bipolar affective disorder. Alternative splicing and the use of alternative promoters results in multiple transcript variants encoding different isoforms.

## **Recommended Dilutions**

WB

1:1000 - 1:3000

## **Immunogen Information**

**Gene ID** 5142

**Swiss Prot** 

Q07343

### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1-130 of human PDE4B (NP\_002591.2).

#### **Synonyms**

DPDE4; PDEIVB; PDE4B

## **Contact**

•

www.abclonal.com

## **Product Information**

Source

Isotype

IgG

**Purification** 


Affinity purification

## Storage

Rabbit

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of extracts of various cell lines, using PDE4B antibody (A10196) at 1:1000

dilution

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 1s.