Leader in Biomolecular Solutions for Life Science

# **HMGA1** Rabbit pAb

Catalog No.: A12693



### **Basic Information**

### **Observed MW**

16kDa

### **Calculated MW**

12kDa

### Category

Polyclonal Antibody

### **Applications**

WB,ELISA

### **Cross-Reactivity**

Mouse,Rat

## **Background**

This gene encodes a chromatin-associated protein involved in the regulation of gene transcription, integration of retroviruses into chromosomes, and the metastatic progression of cancer cells. The encoded protein preferentially binds to the minor groove of AT-rich regions in double-stranded DNA. Multiple transcript variants encoding different isoforms have been found for this gene. Pseudogenes of this gene have been identified on multiple chromosomes.

### **Recommended Dilutions**

WB

1:1000 - 1:2000

### **Immunogen Information**

Gene ID 3159 Swiss Prot P17096

#### **Immunogen**

A synthetic peptide corresponding to a sequence within amino acids 1-100 of human HMGA1 (NP 665908.1).

### **Synonyms**

HMG-R; HMGIY; HMGA1A; HMGA1

### **Contact**

•

www.abclonal.com

### **Product Information**


**Source** Rabbit **Isotype** IgG **Purification**Affinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of lysates from rat kidney, using HMGA1 Rabbit pAb (A12693) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.