Leader in Biomolecular Solutions for Life Science

CD248 Rabbit pAb

Catalog No.: A12703



Basic Information

Observed MW

81kDa/165kDa

Calculated MW

81kDa

Category

Polyclonal Antibody

Applications

WB,ELISA

Cross-Reactivity

Human, Mouse, Rat

Background

Predicted to enable extracellular matrix binding activity and extracellular matrix protein binding activity. Predicted to be involved in cell migration. Predicted to act upstream of or within several processes, including anatomical structure regression; lymph node development; and positive regulation of endothelial cell apoptotic process. Located in extracellular exosome.

Recommended Dilutions

WB

1:1000 - 1:5000

Immunogen Information

Gene ID 57124

Swiss Prot Q9HCU0

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 18-150 of human CD248 (NP_065137.1).

Synonyms

TEM1; CD164L1; CD248

Contact

•

www.abclonal.com


Product Information

Source Rabbit **Isotype** IgG **Purification**Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.



Western blot analysis of various lysates using CD248 Rabbit pAb (A12703) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit (RM00021).

Exposure time: 90s.

Western blot analysis of various lysates using CD248 Rabbit pAb (A12703) at 1:3000 dilution. SecondageanaiBody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

250KBates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit (RM00021). 180KD Exposure time: 905CD248

