# ABclonal www.abclonal.com

## **Ephrin B2 Rabbit pAb**

Catalog No.: A12961 1 Publications

## **Basic Information**

#### **Observed MW**

50kDa

## **Calculated MW**

37kDa

#### Category

Primary antibody

## **Applications**

ELISA,WB

#### **Cross-Reactivity**

Mouse, Rat

## **Background**

This gene encodes a member of the ephrin (EPH) family. The ephrins and EPH-related receptors comprise the largest subfamily of receptor protein-tyrosine kinases and have been implicated in mediating developmental events, especially in the nervous system and in erythropoiesis. Based on their structures and sequence relationships, ephrins are divided into the ephrin-A (EFNA) class, which are anchored to the membrane by a glycosylphosphatidylinositol linkage, and the ephrin-B (EFNB) class, which are transmembrane proteins. This gene encodes an EFNB class ephrin which binds to the EPHB4 and EPHA3 receptors.

## **Recommended Dilutions**

WB

1:500 - 1:2000

## **Immunogen Information**

**Gene ID** 1948

**Swiss Prot** 

P52799

## **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 28-229 of human Ephrin B2 (NP\_004084.1).

#### **Synonyms**

HTKL; EPLG5; Htk-L; LERK5; ephrin-B2; Ephrin B2

#### **Contact**

•

www.abclonal.com

## **Product Information**

Source Rabbit

**Purification** 

Affinity purification


## Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Isotype

IgG



Western blot analysis of various lysates using Ephrin B2 Rabbit pAb (A12961) at 1:1000 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.