A13741

Leader in Biomolecular Solutions for Life Science

KLHDC3 Rabbit pAb

Catalog No.: A13741 1 Publications



Basic Information

Observed MW 43kDa

Calculated MW 43kDa

Category Polyclonal Antibody

Applications WB,IF/ICC,ELISA

Cross-Reactivity Human,Mouse,Rat

Background

The protein encoded by this gene contains six repeated kelch motifs that are structurally similar to recombination activating gene 2, a protein involved in the activation of the V(D)J recombination. In mouse, this gene is found to be expressed specifically in testis. Its expression in pachytene spermatocytes is localized to cytoplasma and meiotic chromatin, suggesting that this gene may be involved in meiotic recombination.

Recommended Dilutions

Immunogen Information

1:1000 - 1:5000	Gene ID	Swiss Prot
	116138	Q9BQ90
1:50 - 1:200		

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-382 of human KLHDC3 (NP_476502.1).

Synonyms

PEAS; dJ20C7.3; KLHDC3

€

WB

IF/ICC

Product Information


www.abclonal.com

Source Rabbit **Isotype** IgG Purification Affinity purification


Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates using KLHDC3 Rabbit pAb (A13741) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 90s.



```
Immunofluorescence analysis of HeLa cells
using KLHDC3 Rabbit pAb (A13741) at
dilution of 1:100 (40x lens). Secondary
antibody: Cy3 Goat Anti-Rabbit IgG (H+L)
(AS007) at 1:500 dilution. Blue: DAPI for
nuclear staining.
```

Immunofluorescence analysis of PC-12 cells using KLHDC3 Rabbit pAb (A13741) at dilution of 1:100 (40x lens). Secondary antibody: Cy3 Goat Anti-Rabbit IgG (H+L) (AS007) at 1:500 dilution. Blue: DAPI for nuclear staining.