A15356

Leader in Biomolecular Solutions for Life Science

1 Publications

ADAMTS1 Rabbit pAb

Catalog No.: A15356

Basic Information

Mouse Monoclonal Antibody

Observed MW

Calculated MW

105kDa

105kDa

Category

Applications WB, IF/ICC, ELISA

Cross-Reactivity Human, Mouse, Rat



Background

This gene encodes a member of the ADAMTS (a disintegrin and metalloproteinase with thrombospondin motif) protein family. Members of the family share several distinct protein modules, including a propeptide region, a metalloproteinase domain, a disintegrin-like domain, and a thrombospondin type 1 (TS) motif. Individual members of this family differ in the number of C-terminal TS motifs, and some have unique C-terminal domains. The protein encoded by this gene contains two disintegrin loops and three C-terminal TS motifs and has anti-angiogenic activity. The expression of this gene may be associated with various inflammatory processes as well as development of cancer cachexia. This gene is likely to be necessary for normal growth, fertility, and organ morphology and function.

Recommended Dilutions

Immunogen Information

1:500 - 1:2000 Gene ID 9510 IF/ICC 1:50 - 1:200

Swiss Prot 09UHI8

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 718-967 of human ADAMTS1 (NP 008919.3).

Synonyms

C3-C5; METH1; ADAMTS1

WB

Product Information

€ www.abclonal.com

Source Rabbit


Isotype lgG

Purification Affinity purification

Storage


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH7.3.

Validation Data




Western blot analysis of extracts of various cell lines, using ADAMTS1 antibody (A15356) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.


Detection: ECL Basic Kit (RM00020). Exposure time: 1s.




Immunofluorescence analysis of 293F cells using ADAMTS1 Rabbit pAb (A15356) at dilution of 1:20 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of HeLa cells using ADAMTS1 Rabbit pAb (A15356) at dilution of 1:20 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of NIH/3T3 cells using ADAMTS1 Rabbit pAb (A15356) at dilution of 1:20 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of PC-12 cells using ADAMTS1 Rabbit pAb (A15356) at dilution of 1:20 (40x lens). Blue: DAPI for nuclear staining.