

A16017

Leader in Biomolecular Solutions for Life Science



## KDM2B Rabbit pAb

Catalog No.: A16017

1 Publications

### Basic Information

#### Observed MW

153kDa

#### Calculated MW

153kDa

#### Category

Polyclonal Antibody

#### Applications

WB, ELISA

#### Cross-Reactivity

Human

### Background

This gene encodes a member of the F-box protein family which is characterized by an approximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiquitin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent ubiquitination. The F-box proteins are divided into 3 classes: Fbws containing WD-40 domains, Fbls containing leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene belongs to the Fbls class. Multiple alternatively spliced transcript variants have been found for this gene, but the full-length nature of some variants has not been determined.

### Recommended Dilutions

WB 1:500 - 1:2000

### Immunogen Information

#### Gene ID

84678

#### Swiss Prot

Q8NHM5

#### Immunogen

A synthetic peptide corresponding to a sequence within amino acids 600-700 of human KDM2B (XP\_011537177.1).

#### Synonyms

CXXC2; Fbl10; PCCX2; FBXL10; JHDM1B; KDM2B

### Contact



[www.abclonal.com](http://www.abclonal.com)

### Product Information

#### Source

Rabbit

#### Isotype

IgG

#### Purification


Affinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH 7.3.

Validation Data



Western blot analysis of various lysates using KDM2B Rabbit pAb (A16017) at 1:1000 dilution.  
Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.  
Lysates/proteins: 25µg per lane.  
Blocking buffer: 3% nonfat dry milk in TBST.  
Detection: ECL Enhanced Kit (RM00021).  
Exposure time: 90s.