

A16198

Leader in Biomolecular Solutions for Life Science



# HCN1 Rabbit pAb

Catalog No.: A16198

## Basic Information

### Observed MW

102kDa

### Calculated MW

99kDa

### Category

Mouse Monoclonal Antibody

### Applications

WB,IF/ICC,ELISA

### Cross-Reactivity

Human,Mouse

## Background

The membrane protein encoded by this gene is a hyperpolarization-activated cation channel that contributes to the native pacemaker currents in heart and neurons. The encoded protein can homodimerize or heterodimerize with other pore-forming subunits to form a potassium channel. This channel may act as a receptor for sour tastes.

## Recommended Dilutions

WB	1:500 - 1:1000
IF/ICC	1:50 - 1:200

## Immunogen Information

### Gene ID

348980

### Swiss Prot

O60741

### Immunogen

A synthetic peptide corresponding to a sequence within amino acids 791-890 of human HCN1 (NP\_066550.2).

### Synonyms

BCNG1; DEE24; HAC-2; BCNG-1; EIEE24; GEFSP10; HCN1

## Contact



[www.abclonal.com](http://www.abclonal.com)

## Product Information

### Source

Rabbit

### Isotype

IgG

### Purification


Affinity purification

### Storage


Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

## Validation Data



Western blot analysis of various lysates, using HCN1 antibody (A16198) at 1:1000 dilution.  
Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (A5014) at 1:10000 dilution.  
Lysates/proteins: 25µg per lane.  
Blocking buffer: 3% nonfat dry milk in TBST.  
Detection: ECL Basic Kit (RM00020).  
Exposure time: 5s.



Immunofluorescence analysis of NIH/3T3 cells using HCN1 Rabbit pAb (A16198) at dilution of 1:100. Blue: DAPI for nuclear staining.