### A1965

Leader in Biomolecular Solutions for Life Science

# PGK1 Rabbit pAb

Catalog No.: A1965 3 Publications

ABclonal

### **Basic Information**

Observed MW 45kDa

Calculated MW 45kDa

**Category** Mouse Monoclonal Antibody

Applications WB,ELISA

Cross-Reactivity Human,Mouse

### Background

The protein encoded by this gene is a glycolytic enzyme that catalyzes the conversion of 1,3-diphosphoglycerate to 3-phosphoglycerate. The encoded protein may also act as a cofactor for polymerase alpha. Additionally, this protein is secreted by tumor cells where it participates in angiogenesis by functioning to reduce disulfide bonds in the serine protease, plasmin, which consequently leads to the release of the tumor blood vessel inhibitor angiostatin. The encoded protein has been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. Deficiency of the enzyme is associated with a wide range of clinical phenotypes hemolytic anemia and neurological impairment. Pseudogenes of this gene have been defined on chromosomes 19, 21 and the X chromosome.

#### **Recommended Dilutions**

# **Immunogen Information**

WB

1:500 - 1:2000

**Gene ID** 5230 Swiss Prot P00558

#### Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-417 of human PGK1 (NP\_000282.1).

Synonyms

PGKA; MIG10; HEL-S-68p; PGK1

# Contact

# **Product Information**


-
<b>C.B.</b>
v

www.abclonal.com

Source Rabbit **lsotype** IgG **Purification** Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of various lysates using PGK1 Rabbit pAb (A1965) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins:  $25\mu$ g per lane. Blocking buffer: 3% nonfat dry milk in TBST.