Leader in Biomolecular Solutions for Life Science

# **DSG2** Rabbit pAb

Catalog No.: A21381



### **Basic Information**

#### **Observed MW**

Refer to figures

### **Calculated MW**

122kDa

#### Category

Polyclonal Antibody

### **Applications**

WB, ELISA

#### **Cross-Reactivity**

Human

# **Background**

This gene encodes a member of the desmoglein family and cadherin cell adhesion molecule superfamily of proteins. Desmogleins are calcium-binding transmembrane glycoprotein components of desmosomes, cell-cell junctions between epithelial, myocardial, and other cell types. The encoded preproprotein is proteolytically processed to generate the mature glycoprotein. This gene is present in a gene cluster with other desmoglein gene family members on chromosome 18. Mutations in this gene have been associated with arrhythmogenic right ventricular dysplasia, familial, 10.

# **Recommended Dilutions**

WB

1:500 - 1:2000

## **Immunogen Information**

Gene ID

Swiss Prot Q14126

Q1

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 635-935 of human DSG2 (NP\_001934.2).

### **Synonyms**

HDGC; CDHF5; DSG2

### **Contact**

•

www.abclonal.com

### **Product Information**


**Source** Rabbit **Isotype** IgG **Purification**Affinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of various lysates using DSG2 Rabbit pAb (A21381) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 10s.