Leader in Biomolecular Solutions for Life Science

# CD97 Rabbit mAb

Catalog No.: A22218 Recombinant



## **Basic Information**

### **Observed MW**

70-85kDa

### **Calculated MW**

92kDa

#### Category

SMab Recombinant Monoclonal Antibody

### **Applications**

WB, ELISA

### **Cross-Reactivity**

Human

### CloneNo number

ARC55829

## **Background**

This gene encodes a member of the EGF-TM7 subfamily of adhesion G protein-coupled receptors, which mediate cell-cell interactions. These proteins are cleaved by self-catalytic proteolysis into a large extracellular subunit and seven-span transmembrane subunit, which associate at the cell surface as a receptor complex. The encoded protein may play a role in cell adhesion as well as leukocyte recruitment, activation and migration, and contains multiple extracellular EGF-like repeats which mediate binding to chondroitin sulfate and the cell surface complement regulatory protein CD55. Expression of this gene may play a role in the progression of several types of cancer. Alternatively spliced transcript variants encoding multiple isoforms with 3 to 5 EGF-like repeats have been observed for this gene. This gene is found in a cluster with other EGF-TM7 genes on the short arm of chromosome 19.

## **Recommended Dilutions**

WB

1:1000 - 1:5000

## **Immunogen Information**

Gene ID

976

Swiss Prot P48960

# Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 21-398 of human CD97 (NP 510966.1).

### **Synonyms**

CD97; TM7LN1

### **Contact**

•

www.abclonal.com

## **Product Information**

**Source** Rabbit Isotype

Purification

IgG


Affinity purification

## Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,0.05% BSA,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of U-937, using CD97 antibody (A22218) at1:2000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:200000 dilution.

Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021).

Exposure time: 60s.