Leader in Biomolecular Solutions for Life Science

# ABclonal www.abclonal.com

# ABflo® 488 Rabbit anti-Human CD352/SLAMF6 mAb

Catalog No.: A23798

#### **Basic Information**

#### **Observed MW**

#### **Calculated MW**

24kDa/37kDa

#### Category

SMab Recombinant Monoclonal Antibody

#### **Applications**

FC

#### **Cross-Reactivity**

Human

#### CloneNo number

ARC60903-ABflo488

#### Conjugate

ABflo® 488. Ex:491nm. Em:516nm.

# **Background**

The protein encoded by this gene is a type I transmembrane protein, belonging to the CD2 subfamily of the immunoglobulin superfamily. This encoded protein is expressed on Natural killer (NK), T, and B lymphocytes. It undergoes tyrosine phosphorylation and associates with the Src homology 2 domain-containing protein (SH2D1A) as well as with SH2 domain-containing phosphatases (SHPs). It functions as a coreceptor in the process of NK cell activation. It can also mediate inhibitory signals in NK cells from X-linked lymphoproliferative patients. Alternative splicing results in multiple transcript variants encoding distinct isoforms.

# **Recommended Dilutions**

FC

5 μl per 10^6 cells in 100 μl volume

# **Immunogen Information**

**Gene ID** 

Swiss Prot 096DU3

114836

**Immunogen** 

Recombinant protein of human CD352/SLAMF6.

## **Synonyms**

SLAMF6; CD352; KALI; KALIb; Ly108; NTB-A; NTBA; SF2000; SLAM family member 6

#### **Contact**

•

www.abclonal.com

## **Product Information**


**Source** Rabbit **Isotype** IgG **Purification**Affinity purification

#### Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.

# **Validation Data**







Flow cytometry:1X10^6 Daudi cells were surface-stained with ABflo \$ 488 Rabbit IgG isotype control (A22069,5  $\mu$ I/Test,left) or ABflo \$ 488 Rabbit anti-Human CD352/SLAMF6 mAb(A23798,5  $\mu$ I/Test,right).

Flow cytometry: 1X10^6 HAP1 cells(negative controll,left) and Daudi cells (right) were surface-stained with ABflo® 488 Rabbit anti-Human CD352/SLAMF6 mAb(A23798,5 µl/Test,orange line) or ABflo® 488 Rabbit IgG isotype control (A22069,5 µl/Test,blue line).Nonfluorescently stained cells were used as blank control (red line).