Leader in Biomolecular Solutions for Life Science



ABflo® 488 Rabbit anti-Human β2 Microglobulin mAb

Catalog No.: A24223

Basic Information

Observed MW

Refer to figures

Calculated MW

13kDa

Category

SMab Recombinant Monoclonal Antibody

Applications

FC

Cross-Reactivity

Human

CloneNo number

ARC60950-ABflo488

Conjugate

ABflo® 488. Ex:491nm. Em:516nm.

Background

This gene encodes a serum protein found in association with the major histocompatibility complex (MHC) class I heavy chain on the surface of nearly all nucleated cells. The protein has a predominantly beta-pleated sheet structure that can form amyloid fibrils in some pathological conditions. The encoded antimicrobial protein displays antibacterial activity in amniotic fluid. A mutation in this gene has been shown to result in hypercatabolic hypoproteinemia.

Recommended Dilutions

FC

5 μl per 10^6 cells in 100 μl volume

Immunogen Information

Gene ID

567

Swiss Prot P61769

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 21-119 of human $\beta 2$ Microglobulin(NP 004039.1).

Synonyms

B2M; IMD43; beta-2-microglobulin

Contact

•

www.abclonal.com

Product Information


Source Rabbit **Isotype** IgG **Purification**Affinity purification


Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.

Validation Data





Flow cytometry: 1X10^6 Daudi cells (negative control,left) and HeLa (right) were surface-stained with ABflo® 488 Rabbit anti-Human $\beta 2$ Microglobulin mAb(A24223,5 $\mu I/Test,$ orange line) or ABflo® 488 Rabbit IgG isotype control (A22069,5 $\mu I/Test,$ blue line).Non-fluorescently stained Daudi cells were used as blank control (red line).

Flow cytometry:1X10^6 HeLa were surface-stained with ABflo® 488 Rabbit IgG isotype control (A22069,5 μ l/Test,left) or ABflo® 488 Rabbit anti-Human β 2 Microglobulin mAb(A24223,5 μ l/Test,right).