Leader in Biomolecular Solutions for Life Science

ABclonal www.abclonal.com

ABflo® 647 Rabbit anti-Human CD270/HVEM mAb

Catalog No.: A24418

Basic Information

Observed MW

Refer to figures

Calculated MW

21kDa/30kDa

Category

SMab Recombinant Monoclonal Antibody

Applications

FC

Cross-Reactivity

Human

CloneNo number

ARC62197-ABflo647

Conjugate

ABflo® 647. Ex:648nm. Em:664nm.

Background

This gene encodes a member of the TNF (tumor necrosis factor) receptor superfamily. The encoded protein functions in signal transduction pathways that activate inflammatory and inhibitory T-cell immune response. It binds herpes simplex virus (HSV) viral envelope glycoprotein D (gD), mediating its entry into cells. Alternative splicing results in multiple transcript variants.

Recommended Dilutions

FC

5 μ l per 10^6 cells in 100 μ l volume

Immunogen Information

Gene ID 8764 Swiss Prot Q92956

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 39-162 of human CD270/HVEM(NP 003811.2)

Synonyms

TNFRSF14; ATAR; CD270; HVEA; HVEM; LIGHTR; TR2; TNF receptor superfamily member 14

Contact

•

www.abclonal.com

Product Information


Source Rabbit **Isotype** IgG **Purification**Affinity purification


Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.

Validation Data





Flow cytometry:1X10^6 HAP1 cells (negative control,left) and HEL cells (right) were surface-stained with ABflo® 647 Rabbit anti-Human CD270/HVEM mAb(A24418,5 µl/Test,orange line) or ABflo® 647 Rabbit IgG isotype control (A22070,5 µl/Test,blue line). Nonfluorescently stained cells were used as blank control (red line).

Flow cytometry:1X10^6 HEL cells were surface-stained with ABflo® 647 Rabbit IgG isotype control (A22070,5 μ I/Test,Ieft) or ABflo® 647 Rabbit anti-Human CD270/HVEM mAb(A24418,5 μ I/Test,right).