Leader in Biomolecular Solutions for Life Science

ABclonal® www.abclonal.com

ABflo® 647 Rabbit anti-Mouse CD272/BTLA mAb

Catalog No.: A24682

Basic Information

Observed MW

Calculated MW

34kDa

Category

SMab Recombinant Monoclonal Antibody

Applications

FC

Cross-Reactivity

Mouse

CloneNo number

ARC63351-ABflo647

Conjugate

ABflo® 647. Ex:648nm. Em:664nm.

Background

Enables signaling receptor activity. Acts upstream of or within immune response-regulating cell surface receptor signaling pathway; negative regulation of B cell proliferation; and negative regulation of alpha-beta T cell proliferation. Located in external side of plasma membrane. Is integral component of plasma membrane. Orthologous to human BTLA (B and T lymphocyte associated).

Recommended Dilutions

FC

5 μl per 10^6 cells in 100 μl volume

Immunogen Information

Gene ID

Swiss Prot Q7TSA3

208154

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 30-176 of mouse CD272/BTLA ($NP_001032808.2$).

Synonyms

A630002H24

Contact

•

www.abclonal.com

Product Information

Source Rabbit **Isotype** IgG


PurificationAffinity purification


Storage

Store at 2-8°C. Avoid freeze.

Buffer: PBS with 0.03% proclin300,0.2% BSA,pH7.3.

Validation Data





Flow cytometry: 1X10^6 C2C12 cells (negative control,left) and C57/BL6 splenocytes (right) were surface-stained with ABflo® 647 Rabbit anti-Mouse CD272/BTLA mAb (A24682,5 µl/Test,orange line) or ABflo® 647 Rabbit IgG isotype control (A22070,5 µl/Test,blue line). Nonfluorescently stained cells were used as blank control (red line).

Flow cytometry: 1X10^6 C57/BL6 splenocytes were surface-stained with ABflo® 647 Rabbit IgG isotype control (A22070,5 µl/Test,left) or ABflo® 647 Rabbit anti-Mouse CD272/BTLA mAb (A24682,5 µl/Test,right).