

A4708

Leader in Biomolecular Solutions for Life Science



LOXL2 Rabbit mAb

Catalog No.: A4708

Recombinant

2 Publications

Basic Information

Observed MW

100kDa

Calculated MW

87kDa

Category

SMab Recombinant Monoclonal Antibody

Applications

WB, ELISA

Cross-Reactivity

Human

CloneNo number

ARC1100

Background

This gene encodes a member of the lysyl oxidase gene family. The prototypic member of the family is essential to the biogenesis of connective tissue, encoding an extracellular copper-dependent amine oxidase that catalyses the first step in the formation of crosslinks in collagens and elastin. A highly conserved amino acid sequence at the C-terminus end appears to be sufficient for amine oxidase activity, suggesting that each family member may retain this function. The N-terminus is poorly conserved and may impart additional roles in developmental regulation, senescence, tumor suppression, cell growth control, and chemotaxis to each member of the family.

Recommended Dilutions

WB 1:500 - 1:1000

Immunogen Information

Gene ID

4017

Swiss Prot

Q9Y4K0

Immunogen

A synthetic peptide corresponding to a sequence within amino acids 675-774 of human LOXL2 (Q9Y4K0).

Synonyms

LOR; LOR2; WS9-14; LOXL2

Contact



www.abclonal.com

Product Information

Source

Rabbit

Isotype

IgG

Purification


Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH 7.3.

Validation Data



Western blot analysis of extracts of various cell lines, using LOXL2 Rabbit mAb (A4708) at 1:1000 dilution.
Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.
Lysates/proteins: 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).
Exposure time: 90s.