Leader in Biomolecular Solutions for Life Science

# MRPL1 Rabbit pAb

Catalog No.: A4947



### **Basic Information**

### **Observed MW**

37kDa

#### **Calculated MW**

37kDa

#### Category

Mouse Monoclonal Antibody

### **Applications**

WB, ELISA

#### **Cross-Reactivity**

Human, Rat

# **Background**

Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein that belongs to the L1 ribosomal protein family.

# **Recommended Dilutions**

WB

1:500 - 1:2000

## **Immunogen Information**

**Gene ID** 65008

Swiss Prot 09BYD6

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 51-325 of human MRPL1 (NP\_064621.3).

### **Synonyms**

L1MT; BM022; MRP-L1; MRPL1

### **Contact**

•

www.abclonal.com

### **Product Information**

**Source** Rabbit **Isotype** IgG


**Purification**Affinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

# **Validation Data**



Western blot analysis of extracts of various cell lines, using MRPL1 antibody (A4947) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 10s.