Leader in Biomolecular Solutions for Life Science

# Semaphorin 3A Rabbit pAb

Catalog No.: A5700 1 Publications



### **Basic Information**

### **Observed MW**

89kDa

#### **Calculated MW**

89kDa

#### Category

Polyclonal Antibody

### **Applications**

WB, ELISA

#### **Cross-Reactivity**

Rat

### **Background**

This gene is a member of the semaphorin family and encodes a protein with an Ig-like C2-type (immunoglobulin-like) domain, a PSI domain and a Sema domain. This secreted protein can function as either a chemorepulsive agent, inhibiting axonal outgrowth, or as a chemoattractive agent, stimulating the growth of apical dendrites. In both cases, the protein is vital for normal neuronal pattern development. Increased expression of this protein is associated with schizophrenia and is seen in a variety of human tumor cell lines. Also, aberrant release of this protein is associated with the progression of Alzheimer's disease.

### **Recommended Dilutions**

WB

1:100 - 1:500

### **Immunogen Information**

**Gene ID** 10371

Swiss Prot Q14563

### Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 20-270 of human Semaphorin 3A (NP\_006071.1).

### **Synonyms**

HH16; SemD; COLL1; SEMA1; SEMAD; SEMAL; coll-1; Hsema-I; SEMAIII; Hsema-III; Semaphorin 3A

### **Contact**

•

www.abclonal.com

### **Product Information**

**Source** Isotype Rabbit IgG


**Purification**Affinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

## **Validation Data**



Western blot analysis of lysates from Rat brain, using Semaphorin 3A Rabbit pAb (A5700) at 1:500

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.