

A5890

Leader in Biomolecular Solutions for Life Science



## RPS12 Rabbit pAb

Catalog No.: A5890

1 Publications

### Basic Information

#### Observed MW

15kDa

#### Calculated MW

15kDa

#### Category

Mouse Monoclonal Antibody

#### Applications

WB, IF/ICC, ELISA

#### Cross-Reactivity

Human, Mouse, Rat

### Background

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongs to the S12E family of ribosomal proteins. It is located in the cytoplasm. Increased expression of this gene in colorectal cancers compared to matched normal colonic mucosa has been observed. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.

### Recommended Dilutions

WB	1:500 - 1:2000
IF/ICC	1:10 - 1:100

### Immunogen Information

#### Gene ID

6206

#### Swiss Prot

P25398

#### Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-132 of human RPS12 (NP\_001007.2).

#### Synonyms

S12; eS12; RPS12

### Contact



[www.abclonal.com](http://www.abclonal.com)

### Product Information

#### Source

Rabbit

#### Isotype

IgG

#### Purification


Affinity purification

#### Storage


Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH 7.3.


## Validation Data



Western blot analysis of extracts of various cell lines, using RPS12 antibody (A5890) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (A5014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 15s.



Immunofluorescence analysis of MCF-7 cells using RPS12 antibody (A5890). Blue: DAPI for nuclear staining.



Confocal immunofluorescence analysis of HeLa cells using RPS12 Polyclonal Antibody (A5890) at dilution of 1:400. Blue: DAPI for nuclear staining.