Leader in Biomolecular Solutions for Life Science

YB-1/YBX1 Rabbit pAb

Catalog No.: A6799



Basic Information

Observed MW 50kDa

Calculated MW 36kDa

Category Polyclonal Antibody

Applications WB,IF/ICC,ELISA

Cross-Reactivity Human

Background

This gene encodes a highly conserved cold shock domain protein that has broad nucleic acid binding properties. The encoded protein functions as both a DNA and RNA binding protein and has been implicated in numerous cellular processes including regulation of transcription and translation, pre-mRNA splicing, DNA reparation and mRNA packaging. This protein is also a component of messenger ribonucleoprotein (mRNP) complexes and may have a role in microRNA processing. This protein can be secreted through non-classical pathways and functions as an extracellular mitogen. Aberrant expression of the gene is associated with cancer proliferation in numerous tissues. This gene may be a prognostic marker for poor outcome and drug resistance in certain cancers. Alternate splicing results in multiple transcript variants. Pseudogenes of this gene are found on multiple chromosomes.

Recommended Dilutions

Immunogen Information

WB	1:500 - 1:1000	Gen
		4904
IF/ICC	1:20 - 1:50	_

Gene ID	Swiss Prot
4904	P67809

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-55 of human YB-1/YBX1 (NP_004550.2).

Synonyms

YB1; BP-8; CSDB; DBPB; YB-1; CBF-A; CSDA2; EFI-A; NSEP1; NSEP-1; MDR-NF1; YB-1/YBX1

Contact

Product Information

www.abclonal.com

lsotype lgG Purification Affinity purification


Storage

Source

Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Validation Data



Western blot analysis of extracts of 293T cells, using YB-1/YB-1/YBX1 antibody (A6799). Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.