Leader in Biomolecular Solutions for Life Science

# VSNL1/VILIP-1 Rabbit pAb

Catalog No.: A6999 1 Publications



## **Basic Information**

## **Observed MW**

18kDa

### **Calculated MW**

22kDa

#### Category

Polyclonal Antibody

## **Applications**

WB, ELISA

#### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

This gene is a member of the visinin/recoverin subfamily of neuronal calcium sensor proteins. The encoded protein is strongly expressed in granule cells of the cerebellum where it associates with membranes in a calcium-dependent manner and modulates intracellular signaling pathways of the central nervous system by directly or indirectly regulating the activity of adenylyl cyclase. Alternatively spliced transcript variants have been observed, but their full-length nature has not been determined.

# **Recommended Dilutions**

WB

1:500 - 1:1000

# **Immunogen Information**

Gene ID

**Swiss Prot** 

P62760

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to a mino acids 2-191 of human VSNL1/VILIP-1 (NP\_003376.2).

## **Synonyms**

HLP3; VILIP; HPCAL3; HUVISL1; VILIP-1; VSNL1/VILIP-1

## **Contact**

•

www.abclonal.com


## **Product Information**

**Source** Rabbit **Isotype** IgG **Purification**Affinity purification

## Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.



Western blot analysis of Mouse brain, using VSNL1/VILIP-1 antibody (A6999) at 1:1000 dilution.


Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 1s.



Lysates/proteins 25µg per lane.
Blocking buffer: 3% nonfat dry milk in TBST.
Detection: ECL Basic Kit (RM00020).

