# A7017

Leader in Biomolecular Solutions for Life Science

# **COPS3 Rabbit pAb**

Catalog No.: A7017



### **Basic Information**

**Observed MW** 48kDa

Calculated MW 48kDa

**Category** Polyclonal Antibody

Applications WB,IF/ICC,ELISA

Cross-Reactivity Human,Mouse,Rat

#### Background

The protein encoded by this gene possesses kinase activity that phosphorylates regulators involved in signal transduction. It phosphorylates I kappa-Balpha, p105, and c-Jun. It acts as a docking site for complex-mediated phosphorylation. The gene is located within the Smith-Magenis syndrome region on chromosome 17. Several transcript variants encoding different isoforms have been found for this gene.

### **Recommended Dilutions**

#### **Immunogen Information**

WB	1:500 - 1:2000	Gen
15/100	1.50 1.100	8533
IF/ICC	1:50 - 1:100	

Gene ID	Swiss Prot
8533	Q9UNS2

#### Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 194-423 of human COPS3 (NP\_003644.2).

Synonyms CSN3; SGN3; COPS3

### **Product Information**


www.abclonal.com

Source Rabbit **Isotype** IgG Purification Affinity purification


Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

# Validation Data



Western blot analysis of extracts of various cell lines, using COPS3 antibody (A7017) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 1s.



Immunofluorescence analysis of MCF7 cells using COPS3 antibody (A7017). Blue: DAPI for nuclear staining.